



UnitedStar Industrial Group Limited

Head Office: 1005 Guangdong Maritime Building No.48 BaQi 2nd Road GuangZhou China

Factory Add: No.268, Dongfu Road, Dongfeng Town, Zhongshan, China

Tel: 86-20-83527484

0086 13556009681

Email: info@unitedstar.com.cn

sale@unitedstar.com.cn



Official account



Phone directory



Fan & Air Conditioner

Electric Fan

Rechargeable Fan

Portable Air Conditioner

Camping Air conditioner



2023-2024

OEM ODM CATALOG

- 14 Years OEM/ODM Manufacturer Focus Air cooling
- Export To 126 Counties
- 16,000 Units Production Per Day



UNITED WORLD · STAR QUALITY

www.unitedstar.com.cn

CATALOGUE

2023-2024



VR visit with factory



Scan & follow us

The Honest Partner of Electric Fan and Portable Air Conditioner

UnitedStar



COMPANY

COMPANY PROFILE01-06

PRODUCT

PORTABLE AIR CONDITIONER 07-10

STAND FAN 11-18

MIST FAN 19

BOX FAN 20

AIR COOLER 21-22

AIR CIRCULATION FAN 23-24

METAL FAN 25-26

TABLE FAN 27-28

TOWER FAN 29-30

CAMPING FAN 31

MINI FAN 32

WALL FAN 33-34

ORBIT FAN 35

INDUSTRIAL FAN 36

CEILING FAN 37-41

DECORATION CEILING FAN 42-44

SOLAR DC FAN 45-46

RECHARGEABLE FAN 47-48

ACCESSORIES

SKD/CKD ACCESSORIES 49-52



ABOUT US

UnitedStar has more than 14 years experience in home appliance product development. At present, UnitedStar has a perfect internal structure and has passed the ISO9001 quality system of nearly 41,237 square meters of plant, which includes six workshops of hardware, motor, injection molding, net cover, and final assembly. United Star has the most advanced domestic R290 mobile air conditioning production line, as well as an enthalpy difference laboratory. We have 1133 kinds of products, among them, 82 have their property rights. We mainly produce portable air conditioner, air cooling fans, electric fans, ceiling fans, rechargeable fans, solar fans, and BLDC motors. The group has its own freight forwarding company and has more initiative in trailer and sea transportation.

At present, United Star has 11 registered trademarks, more than 30 product patents, GS/CE/CB/SAA/RoHS/SASO/CCC, and other certificates. United Star has six R&D engineers, an average of 13 new products are developed every year. Our products are exported to 126 countries, we wholeheartedly for customers to provide OEM and ODM services, have cooperated with famous enterprises at home and abroad, such as French Carrefour supermarket, German Lidl supermarket, Indian Orient company, and so on. Since 2019, the sales growth rate of our own brand United Star in the global market has exceeded 250% for three consecutive years. Meanwhile, we have cooperative assembly bases in Indonesia, Tunisia, Mexico, Nigeria, and other regions.

"To be a reliable environmental appliance service provider to meet the needs of global customers to improve the environment" is our persistent goal.



UNITED WORLD · STAR QUALITY

To Be The Most Reliable Environmental
Air Cooling Appliance Provider

Values


Deliver Best To Customer ,
Be Efficient, Be Enterprising ,Be Reliable, Be Dedicated

Mission

Committed To The Comfort And Environmental
Protection Of The Family And The Earth Environment



ENTERPRISE DEVELOPMENT PROGRESS





41237+
41237 SQUARE METERS OF STANDARD PLANT

6+

6 major workshops including hardware, motor, injection molding, grille, aluminum-casting, final assembly



13+

13 EUROPEAN STANDARDS
FAN PRODUCTION LINE

2+

2 R290
MOBILE AIR CONDITIONING
PRODUCTION LINE



14 YEARS +

14 YEARS
INDUSTRY EXPERIENCE

473+

473 PEOPLE FACTORY

16000+

16000 UNITS OUTPUT PER DAY

NATIONAL HIGH-TECH ENTERPRISE

ISO 9001 certificate

BSCI certification

GS/ CE /CB/SAA/ROHS /REACH/ETL/G-MARK certification



1133+


1133 PRODUCTS

82+

82 SELF-DEVELOPED PRODUCTS

36+

36 PRODUCT PATENTS



126 +

EXPORTED TO THE WORLD
126 COUNTRIES

3-25 DAYS
DELIVERY TIME



PORTABLE AIR CONDITIONER

MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
SKY-1A	7000BTU	37X32.5X87.5CM	210/434/650
SKY-1A	9000BTU		



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
SKY-1B	7000BTU	37X32.5X87.5CM	210/434/650
SKY-1B	9000BTU		



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
SKY-3A	9000BTU	51.5X40X89.3CM	122/254/379



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
SKY-3B	9000BTU	51.5X40X89.3CM	122/254/379



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
SKY-6A	12000BTU	44.7X39.7X87CM	140/290/434



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
SKY-6B	12000BTU	44.7X39.7X87CM	140/290/434



PORTABLE AIR CONDITIONER

MODEL	DESCRIPTION	PACKING SIZE	20'/40'GP/40'HQ
SKY-5A	12000 BTU	63.8X36.8X85.5CM	110/226/339



NEW



MODEL	DESCRIPTION	PACKING SIZE	20'/40'GP/40'HQ
SKY-7A	14000BTU	63.8X41.8X89CM	98/204/305



MODEL	DESCRIPTION	PACKING SIZE	20'/40'GP/40'HQ
SKY-10A	22000BTU	47.2X40.5X135CM	110/222/332



NEW



NEW



MODEL	DESCRIPTION	PACKING SIZE	20'/40'GP/40'HQ
OAC-2A	5000BTU	74.7X33X44CM	



DEHUMIDIFIER

MODEL	DESCRIPTION	PACKING SIZE	20'/40'GP/40'HQ
DM-01	18L	34.4X25.4X52.5CM	588/1224/1528



NEW



MODEL	DESCRIPTION	PACKING SIZE	20'/40'GP/40'HQ
DM-02	30L/40L	42X30.3X63.5CM	309/630/838



STAND FAN

NEW PRODUCTS PLANET SERIAL



PCR

4.5m



4.5Meter Far Air Delivery



USSF-010



USSF-606

CE CB RoHS



USSF-880

CE CB RoHS



USSF-609

CE CB RoHS



USSF-979

CE CB RoHS



USSF-211

CE CB RoHS



USSF-201

CE CB RoHS



A:9" B:10" C:12" D:16" E:18"
R: Remote

STAND FAN



USSF-291



USSF-605 CE CB RoHS



USSF-613 CE CB RoHS



USSF-986



USSF-611



USSF-823



USSF-705



USSF-614



USSF-815



USSF-958 CE CB RoHS



USSF-408



USSF-732



A:9" B:10" C:12" D:16" E:18"
R: Remote

STAND FAN



USSF-730S



USSF-816



USSF-955 CE CB



USSF-826



USSF-854



USSF-753



USSF-922 CE CB
10"/12"



USSF-981



USSF-831



USSF-861



USSF-730



USSF-843 12"



A:9" B:10" C:12" D:16" E:18"
R: Remote

STAND FAN



USSF-739

USSF-762

USSF-842



USSF-738 CE CB NOM



USSF-756 CE CB NOM



USSF-883



USSF-952



USSF-845



USSF-948 CE CB NOM

360° OSCILLATION



USSF-726 CE CB NOM



USSF-724 CE CB NOM



USSF-971 CE CB NOM



A:9" B:10" C:12" D:16" E:18"
R: Remote

MIST FAN



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"H
USMIF-1607	16"	65X28X44.5CM	330/690/860



USMIF-40



USMIF-1607



BOX FAN



USBF-830 14"



USBF-798 8"



USBF-802



USBF-1008 20"



USBF-807



USBF-820



USBF-824



USBF-202 20"



USBF-203

AIR COOLER

PRODUCT FEATURES

Voltage/Power	220V 50Hz/180W
Airflow	2500m³/H
Distance of wind	14M
Water tank	30 L
Applicable area	20-35m²
Wind speed	3
N.W.	10KG
Product size	405X445X1288MM



Centrifugal motor



Function panel



USAC-014A



USAC-014

PRODUCT FEATURES


Voltage/Power	220V 50Hz/100W
Airflow	1600m³/H
Distance of wind	10M
Water tank	15 L
Applicable area	15-20m²
Wind speed	3
N.W.	8.6KG
Product size	400X465X905MM

- Cooling, humidification and purification function, a multi-purpose machine.
- According evaporative cooling, humidifying principle, make cooling effect more obvious.
- Multi-function control panel, LED display, intelligent remote control.
- Anion function, purify air.
- Centrifugal motor, large wind, low noise.
- Natural wind, sleep wind, standard wind for choose.
- Pull-out water tank, easy for washing.
- 3 speed wind for choose.



AIR CIRCULATION FAN

MODEL	DESCRIPTION	PACKING SIZE	PRODUCT DIMENSION	20'/40'GP/40'HQ
USAF-07	7"(REMOTE)	28X27.8X36.1CM	24X23.6X31.8CM	958/1900/2230
USAF-07R	7"(REMOTE)	28X27.8X36.1CM	24X23.6X31.8CM	958/1900/2230



METAL FAN

MODEL	DESCRIPTION	PACKING SIZE	PRODUCT DIMENSION	20"/40"GP/40"HQ
USFF-108C	12"	44X23X36.5CM	41X19.5X37.5CM	953/1907/2225
USFF-108Z	14"	45X19.5X43CM	44X19X42.5CM	805/1634/1799
USFF-108D	16"	52X20X49.5CM	51.5X19.5X48.5CM	572/1162/1384
USFF-108E	18"	56X20X54CM	55.5X19.5X53.5CM	516/1048/1151
USFF-108F	20"	62X22X60CM	61.5X21.5X59.5CM	339/702/841



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
USFF-107	9"	30.5X14X30CM	2375/4868/5492



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
USDF-310B	10"	31.5X21.5X30CM	1378/2850/3350
USDF-310C	12"	36X22.5X35CM	1055/2154/2352
USDF-310D	16"	45.5X23X45.5CM	624/1274/1400



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
USSF-308D	16"	46.5X16X59.5CM	651/1332/1494
USSF-308E	18"	51X16.5X64CM	484/984/1093
USSF-308DR	16"(REMOTE)	46.5X16X59.5CM	651/1332/1494
USSF-308ER	18"(REMOTE)	51X16.5X64CM	484/984/1093



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
USFF-114	24"(DRUM FAN)	75X22.5X76CM	210/450/500



TABLE FAN

MODEL	DESCRIPTION	PACKING SIZE	20'/40'GP/40'HQ
USDF-631A	9"	27X19X34.5CM	1744/3648/4210
USDF-631C	12"	34.8X19.8X34.8CM	1210/2420/2800
USDF-631D3	16"(3 BLADE)	43.5X17X43.5CM	865/1750/1950
USDF-631D5	16"(5 BLADE)	43.5X17X43.5CM	865/1750/1950



USDF-664



USDF-668



USDF-683




USDF-680



USDF-601



USDF-645



TOWER FAN

MODEL	DESCRIPTION	PACKING SIZE	PRODUCT DIMENSION	20"/40"GP/40"HQ
USTF-0614K	14"	14X12.5X37CM	12.4X12X35CM	4191/8392/9772
USTF-0632K	32"	16.5X15X85.5CM	27X27X84CM	1377/2819/3195
USTF-0636K	36"	16.5X15X104CM	34X34X91CM	1140/2310/2640



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
USTF-0436E	36"(REMOTE)	20X18.5X95CM	823/1648/1950
USTF-0446E	44"(REMOTE)	21X18.5X115CM	660/1342/1566



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
USTF-0829K	29"	16X13X75CM	1923/3939/4377
USTF-0829T	29"(WITH TIMER)		
USTF-0829E	29"(REMOTE)		



MODEL	DESCRIPTION	PACKING SIZE	20"/40"GP/40"HQ
USTF-0732E	32"(REMOTE)	16X14.7X92CM	1566/3198/3598
USTF-0732K	32"		



CAMPING FAN



USDC-561 6"



USDC-565 12"



USDC-489



USDC-562 8"



USDC-563 10"

MINI FAN



USMN-601



USMN-602



USMN-603



USMN-608 4"/6"



USMN-607



USMN-606



USMN-614



USMN-613



USMN-211

WALL FAN



USWF-320



USWF-352



USWF-325



USWF-351




USWF-308



USWF-309R



USWF-332



USWF-307



USWF-001



Remote



USWF-350



Remote



USWF-353



USWF-004

ORBIT FAN



USWF-312



USWF-302



USWF-313



USWF-314



USWF-320



Remote



USWF-312R

INDUSTRIAL FAN



ISF-901

18"/20"/24"/26"/30"



ISF-902

18"/20"/24"/26"/30"



ISF-903



ISF-904 20"



ISF-905 20"




ISF-906

CEILING FAN



MODEL	DESCRIPTION	PACKING SIZE	20'/40'GP/40'HQ
USCF-162	14"	62X62X18CM	412/825/1000
USCF-162L	14"(LED)	62X62X18CM	412/825/1000
USCF-162S	14"(DC MOTOR)	62X62X18CM	412/825/1000



USCF-162L



MODEL	DESCRIPTION	PACKING SIZE	20'/40'GP/40'HQ
USCF-308-3	52"	64X26.5X28CM	585/1220/1470
USCF-308-3L	52"(WITH LED)	64X26.5X28CM	585/1220/1470
USCF-308-4	52"(4 BLADES)	64X26.5X28CM	585/1220/1470
USCF-308-4L	52" (4 BLADES / WITH LED)	64X26.5X28CM	585/1220/1470

MODEL	DESCRIPTION	PACKING SIZE
USCF-010	100" (BLDC MOTOR)	SKD




USCF-152 36"




USCF-153 24"



USCF-145 18" 60X60cm




A B



A B

USCF-143 16" 60X60cm



CEILING FAN



USCF-141



USCF-146



USCF-123 WITH LED



USCF-164 60"



USCF-128



USCF-133



USCF-107



USCF-165



USCF-154



USCF-155



USCF-166



USCF-167 GOLDEN CHROMED



USCF-148



USCF-124



USCF-129 56"/60"



USCF-168



DECORATION CEILING FAN



USC-171



USC-100



DCF-115



DCF-168



USC-157



USC-160



DCF-204



DCF-4B3L 42"



USC-136



USC-161



DCF-185



DCF-135



USC-120



USC-510



DCF-121



DCF-206

DECORATION CEILING FAN



DCF-132 42"



DCF-134



DCF-144



DCF-5B3L



DCF-148



DCF-139



DCF-5B5L



DCF-141



DCF-179



DCF-178



DCF-012



DCF-014



DCF-4B4L



DCF-4B5L



DCF-303



DCF-304

SOLAR DC FAN



USDC-416



USDC-404



USDC-455



USDC-456
16/18/20"



USDC-429



USDC-001



USDC-408



12V PLUG

Adapter

12 V Socket



USDC-153



USDC-510

RECHARGEABLE FAN



USDC-109



USDC-500



USDC-479 16/18"



USDC-972




USDC-421



USDC-413



USDC-442



Electric Fan Motor


VOLTAGE	STATOR SIZE
110-120V/60HZ	66*12mm
	66*14mm
	71*14mm
	71*18mm
	74*20mm
	98*14mm
220-240V50HZ	66*12mm
	66*14mm
	71*14mm
	71*18mm
	74*20mm
	98*14mm



Detail
340mm MESH GRILL
418mm MESH GRILL
430mm MESH GRILL
500mm MESH GRILL
270mm*80pcs
340mm*80pcs
340mm*94pcs
430mm*102pcs
430mm*120pcs
500mm*120pcs
500mm*145pcs



Electric Fan Blade




Blade Mould Design




Air conditioner Radiator & Condenser

Diameter*Pitch*Column spacing	Shape
Φ5*14.5*12.56	Bridge
Φ5*19.5*11.6	Bridge
Φ7*21*12.7	louver
Φ7*21*18.19	louver
Φ7*25*21.65	louver
Φ9.52*25*21.65	louver
Φ12.7*31.75*27.5	ripple



Air conditioner Motor

VOLTAGE	STATOR SIZE
110-120V/60HZ	80mm
220-240V/50HZ	95mm 120mm



Note:

